## WE CLAIM:

- 1. (cancelled)
- 2. (currently amended) The process of claim 4 22, wherein, prior to immersion in the silane solution, the substrate carrying carbon nanotubes is treated with one of an alcohol and an acid.
- 3. (original) The process of claim 2, wherein the substrate carrying carbon nanotubes is treated with methanol.
- 4. (original) The process of claim 2, wherein the substrate carrying carbon nanotubes is treated with nitric acid.
- 5. (original) The process of claim 4, wherein the substrate carrying carbon nanotubes is treated with 70% nitric acid for 2 to 20 hours.
  - 6. (cancelled)
- 7. (currently amended) The process of claim 4 22, wherein the substrate is carbon paper and the carbon nanotubes are multi-walled carbon nanotubes.
  - 8. (cancelled)
  - 9. (cancelled)
- 10. (currently amended) The process of claim 9 22, wherein the salt is at least one of platinum chloride and ruthenium chloride.
  - 11. (cancelled)
- 12. (currently amended) The process of claim 44 22, wherein the silane solution contains sufficient salt to give a concentration of at least one of platinum and ruthenium of 0.02 to 2M.
- 13. (currently amended) The process of claim 44 22, wherein the silane solution is a solution of 0.04 M PtCl<sub>2</sub>, 1 volume percent 2(4-chlorosulfonylphenyl)

ethyl trichlorosilane and 6 volume percent water in ethanol.

- 14. (original) The process of claim 13, wherein the composite structure is reduced at a temperature of 550 to 600°C in a hydrogen-argon atmosphere.
- 15. (original) The process of claim 14, wherein reduction of the composite structure is effected by heating the structure at 580°C in a stream of H<sub>2</sub>-Ar for 15 minutes.
- 16. (original) A process for producing carbon nanotubes with platinum particles thereon comprising the steps of:
  - (a) preparing a silane solution of 2(4-chlorosulfonylphenyl) ethyl
    trichlorosilane and platinum chloride;
  - (b) Immersing a carbon fiber substrate carrying multiwalled carbon nanotubes in the silane solution to yield a composite structure of carbon fiber substrate, carbon nanotubes and platinum particles; and
  - ©) reducing the composite structure to yield a composite of carbon fiber substrate, multiwalled carbon nanotubes and platinum particles on the nanotubes.
- 17. (original) The process of claim 16, wherein carbon fiber substrate carrying the carbon nanotubes is immersed in methanol before immersion in the silane solution.
- 18. (original) The process of claim 11, wherein the silane solution is a solution of 0.04 M RuCl<sub>2</sub>, 1 volume percent 2(4-chlorosulfonylphenyl) ethyl trichlorosilane and 6 volume percent water in ethanol.
- 19. (original) A process for producing carbon nanotubes with platinum/ruthenium alloy particles thereon comprising the steps of:

- (a) preparing a silane solution of 2-(4-chlorosulfonylphenyl) ethyl
  trichlorosilane, platinum chloride and ruthenium chloride;
- (b) immersing a carbon fiber substrate carrying multiwalled carbon nanotubes in the silane solution to yield a composite structure of carbon fiber substrate, carbon nanotubes and platinum/ruthenium alloy particles; and
- ©) reducing the composite structure to yield a composite of carbon fiber substrate, multiwalled carbon nanotubes and platinum/ruthenium alloy particles on the nanotubes.
- 20. (original) The process of claim 18 19, wherein the silane solution contains 0.04M PtCl<sub>2</sub>, 0.04M RuCl<sub>2</sub>, 1 vol % 2-(4-chlorosulfonylphenyl) ethyl trichlorosilane, and 6 vol % water and the remainder ethanol.
- 21. (original) The process of claim 19, wherein the substrate carrying the carbon nanotubes is pretreated by one of (i) methanol immersion, (ii) silane pyrolysis in an  $\rm H_2$  and Ar atmosphere and (iii) immersion in concentrated 50:50  $\rm H_2SO_4$  +  $\rm HNO_3$  before immersion in the silane solution.
- 22. (new) A process for producing carbon nanotubes with metal catalyst particles thereon comprising the steps of:
  - (a) preparing a 2(4-chlorosulfonylphenyl) ethyl trichlorosilane solution of a metal catalyst, wherein the metal catalyst is at least one of platinum and ruthenium;
  - (b) immersing an electrically conducting substrate carrying carbon nanotubes in the silane solution, the silane solution containing at least one of a platinum and a ruthenlum salt to yield a composite structure of

substrate, carbon nanotube and metal catalyst; and

reducing the composite structure to yield a composite of substrate, (c) carbon nanotube and metal catalyst particles.